



SLIM PANEL

Item No	Specification	Cutting Size	LED	PCB Size	LGP Size
SL-RD-3W	Φ90mm	Φ80mm	2835SMD	179*6mm	Φ56mm
SL-RD-6W/8W	Φ120mm	Φ105mm	2835SMD	289*6mm	Φ90mm
SL-RD-9W	Φ145mm	Φ130mm	2835SMD	366*6mm	Φ115mm
SL-RD-12W/15W	Φ170mm	Φ155mm	2835SMD	438*6mm	Φ138mm
SL-RD-15W	Φ190mm	Φ180mm	2835SMD	500*6mm	Φ157mm
SL-RD-18W/22W	Φ225mm	Φ210mm	2835SMD	591*6mm	Φ187mm
SL-RD-24W/30W	Φ300mm	Φ280mm	2835SMD	416*6*2mm	Φ262mm
SL-SQ-3W	90*90mm	80*80mm	2835SMD	212*6mm	56*56mm R8
SL-SQ-6W/8W	120*120mm	105*105mm	2835SMD	331*6mm	87*87mm R13
SL-SQ-9W	145*145mm	130*130mm	2835SMD	417*6mm	105.5*105.5mm R7
SL-SQ-12W/15W	170*170mm	155*155mm	2835SMD	527*6mm	135.5*135.5mm R13
SL-SQ-15W	190*190mm	180*180mm	2835SMD	615*6mm	158*158mm R13
SL-SQ-18W/22W	225*225mm	210*210mm	2835SMD	728*6mm	186*186mm R13
SL-SQ-24W/30W	300*300mm	280*280mm	2835SMD	507*6*2mm	257.5*257.5mm R13





**SIDE COLOUR
PANEL**



Item No	Specification	Cutting Size	LED	PCB1 WH/WW/NW	PCB2-BL/GR/PK/PGB
SL-3+3W-RD	Φ105*H25mm	Φ90mm	2835SMD	179*6mm 15D	208*6mm 30D
SL-6+3W-RD	Φ145*H25mm	Φ120mm	2835SMD	289*6mm 30D	321*6mm 30D
SL-12+4W-RD	Φ195*H25mm	Φ160mm	2835SMD	438*6mm 60D	471*6mm 40D
SL-3+3W-SQ	105*105*H25mm	90*90mm	2835SMD	212*6mm 15D	264*6mm 30D
SL-6+3W-SQ	145*145*H25mm	120*120mm	2835SMD	331*6mm 30D	387*6mm 30D
SL-12+4W-SQ	195*195*H25mm	160*160mm	2835SMD	527*6mm 60D	582*6mm 40D




**SURFACE SIDE
COLOUR PANEL**



Item No	Specification	LED	PCB1 WH/WW/NW	PCB2-BL/GR/PK/PGB
SF-3+3W-RD FM	Φ105mm	2835SMD	179*6mm 15D	208*6mm 30D
SF-6+3W-RD FM	Φ145mm	2835SMD	289*6mm 30D	321*6mm 30D
SF-12+4W-RD FM	Φ195mm	2835SMD	438*6mm 60D	471*6mm 40D
SF-3+3W-SQ FM	105*105mm	2835SMD	212*6mm 15D	264*6mm 30D
SF-6+3W-SQ FM	145*145mm	2835SMD	331*6mm 30D	387*6mm 30D
SF-12+4W-SQ FM	195*195mm	2835SMD	527*6mm 60D	582*6mm 40D



SURFACE PANEL



Item No	Specification	LED	PCB Size	LGP Size
SF-RD-3W	Φ85mm	2835SMD	179*6mm	Φ56mm
SF-RD-6W/8W	Φ115mm	2835SMD	289*6mm	Φ90mm
SF-RD-12W/15W	Φ155mm	2835SMD	438*6mm	Φ115mm
SF-RD-18W/22W	Φ200mm	2835SMD	591*6mm	Φ157mm
SF-RD-24W/30W	Φ300mm	2835SMD	416*6*2mm	Φ187mm
SF-SQ-3W	85*85mm	2835SMD	212*6mm	56*56mm R8
SF-SQ-6W/8W	115*115mm	2835SMD	360*6mm	87*87mm R13
SF-SQ-12W/15W	155*155mm	2835SMD	545*6mm	135.5*135.5mm R13
SF-SQ-18W/22W	200*200mm	2835SMD	728*6mm	186*186mm R13
SF-SQ-24W/30W	300*300mm	2835SMD	507*6*2mm	257.5*257.5mm R13



**DEEP DOWN
LIGHT PANEL**



Item No	Specification	Cutting Size	LED	PCB Size
DT-12W-RD	Φ120mm	Φ115mm	2835SMD	70mm
DT-18W-RD	Φ155mm	Φ145mm	2835SMD	98mm
DT-24W-RD	Φ175mm	Φ165mm	2835SMD	114mm



FLAT DOWN LIGHT PANEL



Item No	Specification	Cutting Size	LED	PCB Size
DL-7W-RD	Φ90mm	Φ75mm	2835SMD	55mm
DL-16W-RD	Φ120mm	Φ105mm	2835SMD	86mm
DL-24W-RD	Φ170mm	Φ155mm	2835SMD	134mm
DL-32W-RD	Φ225mm	Φ210mm	2835SMD	186mm
DL-7W-SQ	90*90mm	75*75mm	2835SMD	55*55mm
DL-16W-SQ	120*120mm	105*105mm	2835SMD	86*86mm
DL-24W-SQ	170*170mm	155*155mm	2835SMD	136*136mm
DL-32W-SQ	225*225mm	210*210mm	2835SMD	190*190mm



DOWN LIGHT PANEL



Item No	Specification	Cutting Size	LED	PCB Size
DT-01 12W	Φ115mm	Φ105mm	2835SMD	82mm
DT-01 18W	Φ145mm	Φ135mm	2835SMD	112mm
DT-01 24W	Φ165mm	Φ155mm	2835SMD	132mm
DT-01 36W	Φ215mm	Φ205mm	2835SMD	182mm



COB LIGHT



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-03-7W	Φ59*69mm	Φ50mm	WH/BK	13.5*13.5*8mm	24°
CB-03-12W	Φ82*79mm	Φ74mm	WH/BK	13.5*13.5*11mm	38°
CB-03-18W	Φ95*100mm	Φ85mm	WH/BK	19*19*17 mm	38°
CB-03-5-7W	Φ75*60mm	Φ65mm	BK+RGD	13.5*13.5*11mm	24°
CB-03-10-12W	Φ85*80mm	Φ75mm	WH+CH	13.5*13.5*11mm	38°
CB-03-15-18W	Φ95*100mm	Φ85mm	WH+BK	19*19*17 mm	38°



PC COB LIGHT



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-03A-7W	Φ59*69mm	Φ50mm	GBK/RGB	13.5*13.5*8mm	24°
CB-03A-12W	Φ82*79mm	Φ74mm	GBK/RGB	13.5*13.5*11mm	38°
CB-03A-18W	Φ95*100mm	Φ85mm	GBK/RGB	19*19*17 mm	38°



COB DEEP SPOT

ITEM NO	Power	Specification (MM)	Cutting size (MM)	Color	COB Size	Beam Angle
CB-02-3W	3W	Φ38*28	Φ28	WH	13.5*13.5*11	38°
CB-02-3W	3W	Φ38*28	Φ28	BK	13.5*13.5*11	38°
CB-02-3W	3W	Φ38*28	Φ28	RGD	13.5*13.5*11	38°



COB SPOTLIGHT



Item No	Specification	Cutting Size	Reflector Color	COB Size	Beam Angle
CB-20-7W	Φ70*55mm	Φ65mm	GBK/RGB/WH	13.5*13.5*11mm	36°
CB-20-12W	Φ80*68mm	Φ75mm	GBK/RGB/WH	13.5*13.5*11mm	36°
CB-20-18W	Φ90*80mm	Φ85mm	GBK/RGB/WH	13.5*13.5*11mm	36°



**CUP COB
DOWN LIGHT**



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-22A-7W	Φ65*55mm	Φ53mm	BK+RGD	13.5*13.5*7.5mm	38°
CB-22A-12W	Φ80*60mm	Φ68mm	BK+BK	13.5*13.5*11mm	38°
CB-22A-18W	Φ100*68mm	Φ83mm	WH+BK	13.5*13.5*11mm	38°



**LENSE COB
DOWN LIGHT**



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-16A-7W	Φ75*60mm	Φ65mm	BK+RGD	13.5*13.5*7.5mm	38°
CB-16A-12W	Φ85*65mm	Φ75mm	BK+BK	13.5*13.5*11mm	38°
CB-16A-18W	Φ95*75mm	Φ85mm	WH+BK	13.5*13.5*11mm	38°



CURVE COB LIGHT



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-22-7W	Φ65*55mm	Φ53mm	BK+RGD	13.5*13.5*7.5mm	38°
CB-22-12W	Φ80*60mm	Φ68mm	BK+BK	13.5*13.5*11mm	38°
CB-22-18W	Φ100*68mm	Φ83mm	WH+BK	13.5*13.5*11mm	38°



TRIMLESS COB



Item No	Specification	Cutting Size	Color	COB Size	Beam Angle
CB-17-5W	Φ39*H52mm	Φ35mm	GREY+BK	13.5*13.5*8mm	38°
CB-17-5W	Φ39*H52mm	Φ35mm	GREY+RGD	13.5*13.5*8mm	38°
CB-17-10W	Φ60*H63mm	Φ55mm	GREY+BK	13.5*13.5*11mm	38°
CB-17-10W	Φ60*H63mm	Φ55mm	GREY+RGD	13.5*13.5*11mm	38°



PULLOUT COB



Item No	Power	Specification	Cutting Size	COB Size	Beam Angle
CB-11-10-12W	10-12W	Φ85*102mm	Φ75mm	13.5*13.5*11mm	38°
CB-11-15-18W	15-18W	Φ103*120mm	Φ90-95mm	13.5*13.5*11mm	38°



CB-06
REFLECTOR
TRACK LIGHT



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-06-10W	10W	BK/WH	135*55mm	135*135*11mm	38°
CB-06-20W	20W	BK/WH	155*65mm	135*135*17mm	38°
CB-06-30W	30W	BK/WH	180*75mm	135*135*17mm	38°



TRACK LIGHT



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-07-10W	10W	BK/WH	120*50mm	13.5*13.5*11mm	36°
CB-07-20W	20W	BK/WH	160*65mm	19*19*17mm	36°
CB-07-30W	30W	BK/WH	180*75mm	19*19*17mm	36°
CB-07A-10W	10W	BK/WH	120*50mm	13.5*13.5*11mm	36°
CB-07A-20W	20W	BK/WH	160*65mm	19*19*17mm	36°
CB-07A-30W	30W	BK/WH	180*75mm	19*19*17mm	36°



CB-08A
REFLECTOR



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-08A-15W	15W	BK/WH	60*135	13.5*13.5*11	36°
CB-08A-25W	25W	BK/WH	70*145	19*19*17	36°
CB-08A-35W	35W	BK/WH	80*150	19*19*17	50°
CB-08A-50W	50W	BK/WH	90*178	19*19*17	50°



CB-08
REFLECTOR
WALL LIGHT



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-08-25W	25W	BK/WH	70*145mm	19*19*17mm	36°
CB-08-35W	35W	BK/WH	80*150mm	19*19*17mm	50°
CB-08-50W	50W	BK/WH	90*178mm	19*19*17mm	50°



COB SURFACE LIGHT



Item No	Power	Specification	Color	COB Size	Beam Angle
CB-05A-5W	5W	Φ50*70mm	BK+RGB/BK+BK	13.5*13.5*11mm	24°
CB-05A-10W	10W	Φ70*90mm	BK+RGB/BK+BK	13.5*13.5*11mm	38°
CB-05A-15W	15W	Φ95*100mm	BK+RGB/BK+BK	13.5*13.5*11mm	38°



REFLECTOR
COB CYLINDER LIGHT



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-18-7W	7W	BK+RGD/WH+GBK	58*72mm	13.5*13.5*7.5mm	36°
CB-18-12W	12W	BK+RGD/WH+GBK	72*88mm	13.5*13.5*11mm	36°
CB-18-18W	18W	BK+RGD/WH+GBK	88*100mm	13.5*13.5*11mm	36°



MOVABLE
CYLINDER LIGHT



Item No	Power	Shape	Specification	Color	COB Size	Beam Angle
CB-13-10W	10W	RD	55*162mm	WH+WH	15.8*15.8*11mm 13.5*13.5*11mm	38°
CB-13-10W	10W	RD	55*162mm	BK+TGL	15.8*15.8*11mm 13.5*13.5*11mm	38°



REFLECTOR
MOVABLE COB
CYLINDER LIGHT



Item No	Power	Color	Specification	COB Size	Beam Angle
CB-19-7W	7W	BK+RGD/WH+GBK	58*84mm	13.5*13.5*7.5mm	36°
CB-19A-12W	12W	BK+RGD/WH+GBK	72*95mm	13.5*13.5*11mm	36°
CB-19A-18W	18W	BK+RGD/WH+GBK	86*110mm	13.5*13.5*11mm	36°



LOW DEEP
COB LIGHT



Item No	Specification	Cutting Size	Color	Holder Size	Beam Angle
CB-25-7W	Φ68*48mm	Φ60mm	BK/PKW/PKW+BK	Φ35*11.5*H15mm	38°
CB-25-12W	Φ83*55mm	Φ75mm	BK/PKW/PKW+BK	Φ35*11.5*H15mm	38°
CB-25-18W	Φ93*59mm	Φ85mm	BK/PKW/PKW+BK	Φ35*11.5*H15mm	38°



ELEGANT
COB LIGHT



Item No	Specification	Cutting Size	Color	Holder Size	Beam Angle
CB-23-7W	Φ73*61mm	Φ65mm	BK+RG/PKW+GBK	Φ23*11.5*H3.5mm	38°
CB-23-12W	Φ83*70mm	Φ75mm	BK+RG/PKW+GBK	Φ23*11.5*H3.5mm	38°
CB-23-18W	Φ93*78.5mm	Φ85mm	BK+RG/PKW+GBK	Φ23*11.5*H3.5mm	38°



Isolated Lpf Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
1-3W	1-3W	100-265V	DC3-12V	>0.6PF	300MA	2KV
4-7W 0.6P 300MA	4-7W	100-265V	DC12-28V	>0.6PF	300MA	2KV
8-12W 0.6P 300MA	8-12W	100-265V	DC24-48V	>0.6PF	300MA	2KV
13-18W 0.6P 300MA	13-18W	100-265V	DC39-72V	>0.6PF	300MA	2KV




Isolated Hpf Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
4-7W 0.95P 300MA	4-7W	100-440V	DC12-28V	>0.95PF	300MA	4KV
8-12W 0.95P 300MA	8-12W	100-440V	DC24-48V	>0.95PF	300MA	4KV
13-18W 0.95P 300MA	13-18W	100-440V	DC39-72V	>0.95PF	300MA	4KV
19-24W 0.95P 300MA	19-24W	100-440V	DC54-96V	>0.95PF	300MA	4KV
30-36W 0.95P 300MA	30-36W	100-400V	DC24-102V	>0.95PF	300MA	4KV
30-36W 0.95P 750MA	30-36W	100-440V	DC24-48V	>0.95PF	750MA	4KV
30-36W 0.95P 900MA	30-36W	100-440V	DC24-42V	>0.95PF	900MA	5KV
50W 0.95P 1200MA	48-50W	100-440V	DC24-44V	>0.95PF	1200MA	5KV




NON - ISOLATED DRIVER - 3CCT

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
7-24W 0.5P 300MA	7-24W	150-265V	DC21-86V	>0.6PF	300MA	2KV




Isolated 3 In 1 Lpf Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
6W 3C 0.6PF 300MA	6W	100-265V	DC15-24V	>0.6	300MA	2KV
12W 3C 0.6PF 300MA	12W	100-265V	DC30-42V	>0.6	300MA	2KV
18W 3C 0.6PF 300MA	18W	100-265V	DC45-63V	>0.6	300MA	2KV



No-Isolated Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
3-9W 0.5P	3-9W	100-265V	DC30-80V	>0.5PF	100-120MA	2.5KV
3-9W 0.95P	3-9W	100-440V	DC30-80V	>0.95PF	100-120MA	4KV
6-12W 0.95P	6-12W	100-440V	DC30-80V	>0.95PF	150MA	4KV
8-24W 0.5P	8-24W	100-265V	DC30-80V	>0.5PF	280MA	2.5KV
8-24W 0.95P	8-24W	100-265V	DC30-80V	>0.95PF	280MA	4KV
★ 8-24W 0.9P 3C (3 IN 1)	8-24W	100-440V	DC30-80V	>0.95PF	290MA	4KV



Isolated Double Color Lpf Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
3+3W 3C	3+3W	100-265V	3-12V	>0.6	230-250MA	2.5KV
6+3W 3C	6+3W	100-265V	12-24V	>0.6	240-260MA	2.5KV
12+4W 3C	12+4W	100-265V	24-36V	>0.6	260-280MA	2.5KV



**SMPS
UP COMING PRODUCT**

Item No	Power	Voltage	Output Voltage	OUTPUT CURRENT	SIZE
AL-60W-12V	60W	180-265V	12V	5A	120*50*23mm
AL-120W-12V	120W	180-265V	12V	10A	150*50*23mm
AL-200W-12V	200W	180-265V	12V	16.6A	205*49*23mm
AL-300W-12V	300W	180-265V	12V	25A	188*60*30mm
AL-60W-24V	60W	180-265V	24V	2.5A	120*50*23mm
AL-120W-24V	120W	180-265V	24V	5A	150*50*23mm
AL-200W-24V	200W	180-265V	24V	8.3A	205*49*23mm
AL-300W-12V	300W	180-265V	24V	12.5A	188*60*30mm



Waterproof Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	IP	Surge
WP-24W	24W	160-300V	72V	>0.95	280-300MA	65	4KV
WP-30W	30W	85-285V	30-36V	>0.95	900MA	65	4KV
WP-36W	36W	160-360V	54V	>0.95	550-600MA	65	4KV
WP-50W	50W	85-285V	50-60V	>0.95	750MA	65	4KV/6KV
WP-50W	50W	85-285V	50-60V	>0.95	1500MA	65	4KV/6KV



3C-Intelligent Driver

Item No	Power	Voltage	Output Voltage	Power Factor	Constant Current	Surge
F01X 5-7W-260MA-2	5-7W	110-26V	DC15-22V	>0.6PF	260MA	2KV
F01X 9-12W-260MA-2	9-12W	110-26V	DC27-38V	>0.6PF	270MA	2KV
F01X 15W-320MA-2	15W	110-26V	DC27-38V	>0.6PF	320MA	2KV
F01X 15-18W-300MA-2	15-18W	110-26V	DC48-58V	>0.6PF	300MA	2KV





















Photo	Item No	Power	Size	Color	Lm	Ra	Remark
	COB	1W	13.5*13.5*8	WH/WW/NW BL/RD/GR/PK	70-80LM/W	Ra>80	2B1C
	COB	3W	13.5*13.5*11	WH/WW/NW BL/RD/GR/PK	130-140LM/W	Ra>80	2B3C
	COB	5W	13.5*13.5*11	WH/WW/NW	130-140LM/W	Ra>80	3B5C
	COB	7W	13.5*13.5*11	WH/WW/NW	130-140LM/W	Ra>80	3B7C
	COB	10W	13.5*13.5*11	WH/WW/NW	130-140LM/W	Ra>80	3B10C
	COB	12W	13.5*13.5*11	WH/WW/NW	130-140LM/W	Ra>80	3B12C
	COB	15W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	3B15C
	COB	15W	13.5*13.5*11	WH/WW/NW	130-140LM/W	Ra>80	3B15C
	COB	18W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	3B18C
	COB	20W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	3B20C
	COB	24W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	2B24C
	COB	30W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	5B12C
	COB	50W	19*19*17	WH/WW/NW	130-140LM/W	Ra>80	8B12C
	COB	30W	28.5*28.5*24	WH/WW/NW	130-140LM/W	Ra>80	5B12C
	COB	50W	28.5*28.5*24	WH/WW/NW	130-140LM/W	Ra>80	8B12C
	COB/3C	7W	13.5*13.5*8 13.5*13.5*11	3IN1	130-140LM/W	Ra>80	2B7C*2
	COB/3C	12W	13.5*13.5*11 15.85*15.85*11	3IN1	130-140LM/W	Ra>80	2B12C*2
	COB/3C	15W-20W	19*19*17	3IN1	130-140LM/W	Ra>80	4B12C*2

Photo	Item No	Power	Voltage	Color	Lm	Ra	Current	Remark
	2835	0.2W	3V	WH/WW/NW 	26-28LM	Ra>80	60MA	818



ALISAN SMART HOMES

COMPLETE SKD SOLUTION

ADD : Iffco Chowk, Unit 7-8, Sehrawat Complex, Mehrauli-Gurgaon Rd, near
Hanuman Mandir, Sukhrali, Gurugram, Haryana 122001

MOB : 1800 121 1300

E-mail : alisansmarthomes@gmail.com